

Anti-MVP antibody (1-100) [S8MR] (STJ11101268)

ST.I11101268

GENERAL INFORMATION

Product Type Primary antibodies

Short Description

Applications WB/ELISA Host/Source Rabbit

Reactivity Human/Mouse/Rat

PRODUCT PROPERTIES

Clonality Monoclonal
Clone ID S8MR
Concentration Lot specific
Conjugation Unconjugated
Purification Affinity purification
Dilution Range WB:1:500-1:1000

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH 7.3.

Isotype IgG

Storage Instruction Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION


Gene ID 9961
Gene Symbol MVP
Uniprot ID MVP_HUMAN
Immunogen

Immunogen Immunogen 1-100


Specificity A synthetic peptide corresponding to a sequence within amino acids 1-100 of human MVP (Q14764).

Immunogen MATEEFIIRIPPYHYIHVLD QNSNVSRVEVGPKTYIRQDN ERVLFAPMRMVTVPPRHYCT VANPVSRDAQGLVLFDVTGQ

Sequence VRLRHADLEIRLAQDPFPLY



Western blot analysis of lysates from Rat kidney, usin MVP Rabbit monoclonal antibody (STJ11101268) a 1:500 dilution. Secondary antibody: HRP Goat Anl Rabbit IgG (H+L) (STJS00086) at 1:10000 dilutiot Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3' nonfat dry milk in TBST. Detection: ECL Basic Ki Evrosure time: 91s.



Western blot analysis of various lysates using MV Rabbit monoclonal antibody (STJ11101268) at 1:50 dilution. Secondary antibody: HRP Goat Anti-Rabbi IgG (H+L) (STJS000856) at 1:10000 dilution Lysates/proteins: 25 Mu g per lane. Blocking buffer: 39 nortat dry milk in TBST. Detection: ECL Basic Kit