

## Anti-GPX4 antibody (1-100) [S3MR] (STJ11101303)

STJ11101303

## **GENERAL INFORMATION**

Product Type Primary antibodies

**Short Description** 

Applications WB/IF/ICC/ELISA Host/Source Rabbit

Reactivity Human/Mouse/Rat

## **PRODUCT PROPERTIES**

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.05% Proclin300, 0.05% BSA, 50% Glycerol, pH 7.3.

**Isotype** IgG

Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 2879 Gene Symbol GPX4


Uniprot ID GPX4\_HUMAN

Immunogen
Immunogen 1-100
Region


**Specificity** A synthetic peptide corresponding to a sequence within amino acids 1-100 of human GPX4 (P36969).

Immunogen MSLGRLCRLLKPALLCGALA APGLAGTMCASRDDWRCARS MHEFSAKDIDGHMVNLDKYR GFVCIVTNVASQUGKTEVNY

Sequence TQLVDLHARYAECGLRILAF



Western blot analysis of lysates from wild type (WT) an GPX4 knockdown (KD) U-87 MG cell pools, using [KT dialidated] GPX4 Rabbit monoclonal antibod (STJ11101303) at 1:1000 dilution. Secondary antibod (HTP) Goat Anti-Rabbit [g6] (H+L) (STJS000856) a 1:10000 dilution. Lysates/proteins: 25 Mu g per lane Blocking buffer 3% norlat dry milk in TBST. Detection



western blot analysis of various lysates using GPX4 alabbit monoclonal antibody (STJ111101303) at 10141000 dilution. Secondary antibody: HRP Goat Anti-Habbit IgG (H+L) (STLS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.