

Anti-AGT antibody (1-100) [S0MR] (STJ11101390) STJ11101390

GENERAL INFORMATION

 Product Type
 Primary antibodies

 Short Description
 WB/ELISA

 Applications
 WB/ELISA

 Host/Source
 Rabbit

 Reactivity
 Human/Mouse/Rat

PRODUCT PROPERTIES

 Clonality
 Monoclonal

 Clonality
 SOMR

 Concentration
 Lot specific

 Conjugation
 Unconjugated

 Purification
 Affinity purification

 Dilution Range
 WB:15:00-1:2:000

 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.

 Formulation
 PSS with 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH 7.3.

 Isotrage Instruction
 Isotra et-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID 183 Gene Symbol AGT Uniprot ID ANGT_HUMAN Immunogen Immunogen Specificity Sequence Xaythetic peptide corresponding to a sequence within amino acids 1-100 of human Angiotensinogen (P01019). MAPAGVSLRATILCLLAWAG LAAGDRVYIHPFHLVIHNES TCEQLAKANAGKPKDPTFIP APIQAKTSPVDEKALQDQLV VAAKLDTEDKLRAAMVGML

em blot analysis of extracts of various cell lines, Angiotensinogen Rabbit monocional antibody 1101390) at 1:1000 dilution. Secondary antibody: Goat Anti-Rabbit IgG (H+L) (STJS000856) at 100 dilution. Lysates/proteins: 25 Mu g per lane. ang buffer: 3% nonfat dry milk in TBST. Detection: Basic Kit: Exposure time; 3e. 35kDa – sigiotoresinogen Rabbit monoclonal antibo TJ11101390; at 1:1000 dilution. Secondary antiboo PF Goat Anti-Rabbit IgG (H+L) (STJS00056) 10000 dilution. Lysates/proteins: 25 Mu g per Iar 10000 dilution. Lysates/proteins: 25 Nu g per Iar Dasks (Ht Psongener imm/System) in TBSC. Detectio

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081