

Anti-UBB antibody (1-228) [S6MR] (STJ11101766)
STJ11101766

GENERAL INFORMATION



Product Type	Primary antibodies
Short Description	
Applications	WB/IHC-P/ELISA
Host/Source	Rabbit
Reactivity	Human/Mouse/Rat/Other

PRODUCT PROPERTIES


Clonality	Monoclonal
Clone ID	S6MR
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution	WB:1:1000-1:4000
Range	IHC-P:1:1000-1:10000 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.05% Proclin300, 0.05% BSA, 50% Glycerol, pH 7.3.
Isotype	IgG
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION


Gene ID	7314
Gene Symbol	UBB
Uniprot ID	UBB_HUMAN
Immunogen	
Immunogen Region	1-228
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1-228 of human Ubiquitin (AAH46123.1).
Immunogen Sequence	MQIFVKLTGKTTITLEVEPS DTIENVKAKIQDKEGIPPDQ QRLIFAGKQLEDGRTLSDYN IQKESTLHLVLRGGMQIF VKLTGKTTITLEVEPSDTIE NVKAKIQDKEGIPPDQQLI FAGKQLEDGRTLSDYNIQKE STLHLVLRGGMQIFVKTL TGKTTITLEVEPSDTIENVKA KIQDKEGIPPDQQLIFAGK QLEDGRTLSDYNIQKESTLH LVLRGGMQIFVKTL



Immunohistochemistry analysis of Ubiquitin in paraffin-embedded human thyroid cancer tissue using Ubiquitin rabbit monoclonal antibody (STJ11101766) at a dilution of 1:1000 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to immunohistochemistry staining.



Immunohistochemistry analysis of Ubiquitin in paraffin-embedded mouse kidney tissue using Ubiquitin rabbit monoclonal antibody (STJ11101766) at a dilution of 1:1000 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to immunohistochemistry staining.



Immunohistochemistry analysis of Ubiquitin in paraffin-embedded mouse spleen tissue using Ubiquitin rabbit monoclonal antibody (STJ11101766) at a dilution of 1:1000 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to immunohistochemistry staining.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081