

## Anti-NAP1L1 antibody (1-100) [S7MR] (STJ11102317)

## **GENERAL INFORMATION**

Product Type Primary antibodies

**Short Description** 

Applications WB/IF/ICC/ELISA Host/Source Rabbit Reactivity Human/Mouse/Rat

## **PRODUCT PROPERTIES**

Clonality Monoclonal Clone ID S7MR Concentration Lot specific Conjugation Unconjugated Purification Affinity purification Dilution Range WB:1:500-1:1000

IF/ICC:1:50-1:200

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH 7.3.

Isotype IgG

**Storage Instruction** Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

## **TARGET INFORMATION**

Gene ID 4673 Gene Symbol NAP1L1 Uniprot ID NP1L1\_HUMAN . Immunogen


Immunogen 1-100 Region

Specificity A synthetic peptide corresponding to a sequence within amino acids 1-100 of human NAP1L1 (P55209).


Immunogen MADIDNKEQSELDQDLDDVE EVEEEETGEETKLKARQLTV QMMQNPQILAALQERLDGLV ETPTGYIESLPRVVKRRVNA
Sequence LKNLQVKCAQIEAKFYEEVH



Immunofluorescence analysis of U-2 OS cells using NAP1L1 Rabbit monoclonal antibody (STJ11102317) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear



Immunofluorescence analysis of NIH-3T3 cells using NAP1L1 Rabbit monoclonal antibody (STJ11102317) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of C6 cells using NAP1L1 Rabbit monoclonal antibody (STJ11102317) at dilutior of 1:100 (40x lens). Blue: DAPI for nuclear staining.

