

## Anti-PMEL antibody (320-430) (STJ11103586)

ST.J11103586

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description

Applications WB/IF/ICC/ELISA Host/Source Rabbit

Reactivity Human/Mouse/Rat

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration Lot specific
Conjugation Unconjugated
Purification Affinity purification
Dilution Range WB:1:500-1:2000

IF/ICC:1:50-1:200

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.05% Proclin300, 50% Glycerol, pH 7.3.

Isotype Ig

Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 6490

Gene Symbol PMEL

Uniprot ID PMEL\_HUMAN


Immunogen

Immunogen 320-430


Region

**Specificity** Recombinant fusion protein containing a sequence corresponding to amino acids 320-430 of human PMEL (NP\_008859.1). **Immunogen** PNTTAGQVPTTEVVGTTPGQ APTAEPSGTTSVQVPTTEVI STAPVQMPTAESTGMTPEKV PVSEVMGTTLAEMSTPEATG

Sequence MTPAEVSIVVLSGTTAAQVT TTEWVETTARE



Immunofluorescence analysis of A375 cells using PMEI Rabbit polyclonal antibody (STJ11103586) at dilution o 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti Rabbit IgG (H+L) at 1:500 dilution. Blue: DAPI fo nuclear staining.



Western blot analysis of lysates from A375 cells, using PMEL Rabbit polyclonal antibody (S111110386) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure firm? 3min.