

Anti-CD30 antibody (496-595) [S0MR] (STJ11103680)

ST.111103680

GENERAL INFORMATION

Product Type Primary antibodies

Short Description

Applications WB/IF/ICC/ELISA
Host/Source Rabbit
Reactivity Human/Rat

PRODUCT PROPERTIES

Clonality Monoclonal
Clone ID SOMR

Concentration Lot specific
Conjugation Unconjugated
Purification Affinity purification
Dilution Range WB:1:100-1:500

IF/ICC:1:50-1:200

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH 7.3.

Isotype IgG

Storage Instruction Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID 943

Gene Symbol TNFRSF8
Uniprot ID TNR8_HUMAN


. Immunogen

Immunogen Region 496-595

Specificity A synthetic peptide corresponding to a sequence within amino acids 496-595 of human CD30 (P28908).


Immunogen SPRDLPEPRVSTEHTNNKIE KIYIMKADTVIVGTVKAELP EGRGLAGPAEPELEEELEAD HTPHYPEQETEPPLGSCSDV

Sequence MLSVEEEGKEDPLPTAASGK



SVKUB — Use the Month of the Month of the Month of the Month of Mo

mmunofluorescence analysis of Jurkat cells using CD30 Rabbit mAb (STJ11103680) at dilution of 1:100 40x lens). Secondary antibody: Cy3-conjugated control anti-Rabbit IgG (H+L) (STJS001166) at 1:500 dilution. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of paraffin-embedded rat spleen using CD30 Rabbit mAb (STJ11103680) at dilution of 1:100 (40x lens). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IqG (H+L) (STJS001166) at