

Anti-MMP1 antibody (93-210) [S4696RM] (STJ11104696)

ST.111104696

GENERAL INFORMATION

Product Type Primary antibodies

Short Description

Applications WB/ELISA Host/Source Rabbit

Reactivity Human/Mouse/Rat

PRODUCT PROPERTIES

Clonality Monoclonal
Clone ID S4696RM

Concentration Lot specific
Conjugation Purification Affinity purification
Dilution Range WB:1:60000-1:264000

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements

Formulation PBS with 0.05% Proclin300, 0.05% BSA, 50% Glycerol, pH 7.3.

Isotype Igo

Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

TARGET INFORMATION

Gene ID 4312 Gene Symbol MMP1


Uniprot ID MMP1_HUMAN

Immunogen 93-210 Region


Specificity Recombinant fusion protein containing a sequence corresponding to amino acids 93-210 of human MMP1 (NP_002412.1).

Immunogen GVPDVAQFVLTEGNPRWEQT HLTYRIENYTPDLPRADVDH AIEKAFQLWSNVTPLTFTKV SEGQADIMISFVRGDHRDNS

Sequence PFDGPGGNLAHAFQPGPGIG GDAHFDEDERWTNNFREY



Western blot analysis of extracts of various cell lines using MMP1 antibody (STJ11104696) at1:2000 dilution. Secondary antibody: HRP Goat Anti-Rabb IgG (H+L) (STJS000956) at 1:10000 dilution Lysates/proteins: 25 Mu g per lane. Blocking buffer: 31 ponfat dry milk in TBST. Detection: ECJ Basic KT.



Western blot analysis of extracts of various cell lines using MMPI antibody (STJ11104686) att12000 dilution. Secondary antibody: HRP Goat Anti-Rabb IgG (H+L) (STJS000856) att 1:10000 dilutior Lysates/proteins: 25 Mu g per lane. Blocking buffer: 39 nonflat dry milk in TBST. Detection: ECL Basic Kit Exposure time: 10s.