

Anti-XIAP antibody [S4809RM] (STJ11104809)

ST.111104809

GENERAL INFORMATION

Product Type Primary antibodies

Short Description

Applications WB/ELISA Host/Source Rabbit

Reactivity Human/Mouse/Rat

PRODUCT PROPERTIES

Clonality Monoclonal
Clone ID S4809RM

Concentration Lot specific
Conjugation Unconjugated
Purification Affinity purification
Dilution Range WB:1:2000-1:6000

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.05% Proclin300, 0.05% BSA, 50% Glycerol, pH 7.3.

Isotype IgG

Storage Instruction Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID 331
Gene Symbol XIAP


Uniprot ID XIAP_HUMAN Immunogen

Immunogen Region


Specificity Recombin

Recombinant protein of human XIAP.

Immunogen Sequence



Western blot analysis of lysates from wild type (WT) and XIAP knockout (KO) 293T cells, using (KO Validated XIAP Rabbit monoclonal antibody (STJ11104809) a 15000 dilution. Secondary antibody: HRP Goat Anti Rabbit (gG (H+L) (STJS000855) at 1:10000 dilution Lysates/proteins: 25 Mu g per lane. Blocking buffer; 39 norflat dry milk in TBS1. Detection: ECL Basic Kit Exposure from 2



Western blot analysis of various lysates using [KC Validated] XIAP Rabbit monoclonal antibody (STJ11104809) at 1:5000 dilution. Secondary antibody HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane Blocking buffer: 3% nontat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.