

Anti-RIP3 antibody (320-420) (STJ11105557)
STJ11105557

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	
Applications	IHC-P/IF/ICC/ELISA
Host/Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES


Clonality	Polyclonal
Clone ID	
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	IHC-P:1:50-1:200 IF/ICC:1:50-1:200 ELISA:Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.05% Proclin300, 50% Glycerol, pH 7.3.
Isotype	IgG
Storage	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.
Instruction	

TARGET INFORMATION


Gene ID	56532
Gene Symbol	Ripk3
Uniprot ID	RIPK3_MOUSE
Immunogen	
Immunogen Region	320-420
Specificity	A synthetic peptide corresponding to a sequence within amino acids 320-420 of mouse RIP3 (NP_064339.2). LSAREPSQRGTMDCPRETM VSKMLDRHLLEEPSGVPVGK CPERQAQDTSVGPATPARTS SDPVAGTPQIPHTLPFRGTT
Sequence	PGPVFETETPGHPQRNQGDG R




Immunofluorescence analysis of L-929 cells using a RIP3 Rabbit polyclonal antibody (STJ11105557) at a dilution of 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) at 1:500 dilution. Blue: DAPI for nuclear staining.



Immunohistochemistry analysis of a RIP3 in paraffin-embedded human tonsil tissue using a RIP3 Rabbit polyclonal antibody (STJ11105557) at a dilution of 1:100 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to immunohistochemistry staining.



Immunohistochemistry analysis of a RIP3 in paraffin-embedded human colon carcinoma tissue using a RIP3 Rabbit polyclonal antibody (STJ11105557) at a dilution of 1:100 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to immunohistochemistry staining.



Immunohistochemistry analysis of a RIP3 in paraffin-embedded mouse intestine tissue using a RIP3 Rabbit polyclonal antibody (STJ11105557) at a dilution of 1:100 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to immunohistochemistry staining.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081