

Anti-Goat IgG-Fab antibody [SRM] (STJ11107084)

ST 111107094

GENERAL INFORMATION

Product Type Primary antibodies

Short Description

Applications WB/FC/ELISA
Host/Source Rabbit
Reactivity Goat

PRODUCT PROPERTIES

Clonality Monoclonal
Clone ID SRM

Concentration Lot specific
Conjugation Unconjugated
Purification Affinity purification
Dilution Range WB:1:1000-1:5000

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

FC:1:500-1:1000

Formulation PBS with 0.05% Proclin300, 0.05% BSA, 50% Glycerol, pH 7.3.


Isotype IgG **Storage Instruction**

TARGET INFORMATION


Sequence

Gene ID Gene Symbol Uniprot ID Immunogen Immunogen Region

Specificity Recombinant protein of Goat IgG (Fab) fragment. Immunogen



Western blot analysis of recombinant Goat IgG Fi fragment using Rabbit Anti-Goat IgG (Fab) fragme mAb (STJ11107084) at 1:1900 dilution. Lysates/proteins: 100ng per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit



Flow cytometry: IX10/6 Jurkat cells (negative control, left) A and A-431 cells (right) were surface-stained with Human TROP-2 Antibody (2 Mb g/mL, orange line) or Rabbit Andri-Got legs. (Fig. 1) fig. (Fig. 1) fig