Anti-NACA antibody (1-215) (STJ112161)

STJ112161

GENERAL INFORMATION

Product Type	Primary antibodies
Short Description	
Applications	WB/ELISA
Host/Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES

Clonality	Polyclonal
Clone ID	
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:1000-1:5000 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Storage Instruction	Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	4666
Gene Symbol	NACA
Uniprot ID	NACA_HUMAN
Immunogen	
Immunogen Region	1-215
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1-215 of human NACA (NP_001106673.1).
Immunogen Sequence	MPGEATETVPATEQELPQPQ AETGSGTESDSDESVPELEE QDSTQATTQQAQLAAAAEID EEPVSKAKQSRSEKKARKAM SKLGLRQVTGVTRVTIRKSK NILFVITKPDVYKSPASDTY IVFGEAKIEDLSQQAQLAAA EKFKVQGEAVSNIQENTQTP TVQEESEEEEVDETGVEVKD IELVMSQANVSRAKAVRALK NNSNDIVNAIMELTM



Western blot analysis of various lysates, using NACA Rabbit polyclonal antibody (STJ112161) at 1:2000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 45s.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081