

## Anti-DLL4 antibody (317-530) (STJ114809)

STJ114809

### GENERAL INFORMATION


**Product Type** Primary antibodies  
**Short Description**  
**Applications** WB/ELISA  
**Host/Source** Rabbit  
**Reactivity** Human/Mouse/Rat

### PRODUCT PROPERTIES

**Clonality** Polyclonal  
**Clone ID**  
**Concentration** Lot specific  
**Conjugation** Unconjugated  
**Purification** Affinity purification  
**Dilution** WB:1:500-1:2000  
**Range** ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.  
**Formulation** PBS with 0.01% Thimerosal, 50% Glycerol, pH 7.3.  
**Isotype** IgG  
**Storage** Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.  
**Instruction**

### TARGET INFORMATION

**Gene ID** 54567  
**Gene Symbol** DLL4  
**Uniprot ID** DLL4\_HUMAN  
**Immunogen**  
**Immunogen** 317-530  
**Region**  
**Specificity** Recombinant fusion protein containing a sequence corresponding to amino acids 317-530 of human DLL4 (NP\_061947.1).  
**Immunogen Sequence** TGVDCELELSECDSNPCRNG GSCKDQEDGYHCLCPPGYYG LHCEHSTLSCADSPCFNNGGS CRERNQGANYACECPPNFTG SNCEKKVDRCTSNPCANGQQ CLNRGSPSRMCRCRPGFTGTY CELHVSDCARNPCAHHGTCH DLENGLMCTCPAGFSGRRCE VRTSIDACASSPCFN RATCY TDLSTDTCVNCPYGFVGSR CEFVGLPPSFPWV



Western blot analysis of various lysates using DLL4 Rabbit polyclonal antibody (STJ114809) at 1:3000 dilution and goat anti-rabbit IgG (H+L) (STJ000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.  
 St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081