

Anti-NCK1 antibody (58-377) (STJ115295)

STJ115295

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	
Applications	WB/ELISA
Host/Source	Rabbit
Reactivity	Human/Mouse

PRODUCT PROPERTIES

Clonality	Polyclonal
Clone ID	
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution	WB:1:500-1:2000
Range	ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Storage	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.
Instruction	

TARGET INFORMATION

Gene ID	4690
Gene Symbol	NCK1
Uniprot ID	NCK1_HUMAN
Immunogen	
Immunogen Region	58-377
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 58-377 of human NCK1 (NP_006144.1).
Immunogen Sequence	RKNSARKASIVKNLKDGLG GKVVRKPSVPDSASPADDSF VDPGERLYDLNMPAYVKFNY MAEREDELSLIKGTKVIVME KCSGDGWWRGSYNGQVGWFPS NYVTEEGDSPLDHVGSLSE KLAAVVNNLNTGQVLHVVQA LYPFSSSNDEELNFEKGDVM DVIEKPENDPEWWKCRKING MVGLVPKNYVTVMQNNPLTS GLEPSPQCDDYIRPSLTGKF AGNPWYYGKVTRHQAEMAL



Western blot analysis of extracts of various cell lines, using NCK1 antibody (STJ115295) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 60s.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081