

Anti-DEFB132 antibody (1-95) (STJ115644)

ST.1115644

GENERAL INFORMATION

Product Type Primary antibodies

Short Description

Applications WB/IHC-P/ELISA
Host/Source Rabbit
Reactivity Human/Mouse

PRODUCT PROPERTIES

Clonality Polyclonal

Clone ID

Concentration Lot specific
Conjugation Unconjugated
Purification Affinity purification
Dilution Range WB:1:500-1:2000

IHC-P:1:50-1:200

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.

Isotype IgG

Storage Instruction Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION


Gene Symbol DEFB132
Uniprot ID DB132_HUMAN

Immunogen Immunogen Region 1-95


Specificity Recombinant fusion protein containing a sequence corresponding to amino acids 1-95 of human DEFB132 (NP_997352.1).

Immunogen MKFLLLVLAALGFLTQVIPA SAGGSKCVSNTPGYCRTCCH WGETALFMCNASRKCCISYS FLPKPDLPQLIGNHWQSRRR


Sequence NTQRKDKKQQTTVTS



Immunohistochemistry analysis of paraffin-embedder mouse kidney using DEFB132 antibody (STJ115644) dilution of 1:100 (40k lens). Perform microwave antiper retrieval with 10 mM PBS buffer pH 7. 2 before commencing with immunohistochemistry staining



Immunohistochemistry analysis of paraffin-embedded human esophagus using DEF8132 antibod (STJ115644) at dilution of 1:100 (40x lens). Performicrowave antigen retrieval with 10 mM PBS buffer pt 7, 2 before commencing with immunohistochemistry staining protocol.



Immunohistochemistry analysis of paraffin-embedded human colon using DEFB132 antibody (STJ115644) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PSS buffer pH 7. 2 before commencing with immunohistochemistry staining protocol.