

Anti-OCIAD2 antibody (1-99) (STJ117161)

STJ117161

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	
Applications	WB/IF/ICC/ELISA
Host/Source	Rabbit
Reactivity	Human

PRODUCT PROPERTIES


Clonality	Polyclonal
Clone ID	
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:2000 IF/ICC:1:50-1:200 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.01% Thimerosal, 50% Glycerol, pH 7.3.
Isotype	IgG
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	132299
Gene Symbol	OCIAD2
Uniprot ID	OCAD2_HUMAN
Immunogen	
Immunogen Region	1-99
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1-99 of human OCIAD2 (NP_689611.1).
Immunogen Sequence	MASASARGNQDKDAHFPPPS KQSLFCPKSKLHHRAEIS KIMRECQEESFWKRALPFSL VSMLVTQGLVYQGYLAANSR FGSLPKVARTASLPVRNAK



Immunofluorescence analysis of U2OS cells using OCIAD2 Rabbit polyclonal antibody (STJ117161) at dilution of 1:100. Blue: DAPI for nuclear staining.



Western blot analysis of various lysates using OCIAD2 Rabbit polyclonal antibody (STJ117161) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.