

## Anti-WNK3 antibody (500-600) (STJ117702)

## **GENERAL INFORMATION**

Product Type Primary antibodies

**Short Description** 

Applications WB/IF/ICC/ELISA Host/Source Rabbit

Reactivity Human/Mouse/Rat

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID Concentration Lot specific

Conjugation Unconjugated Purification Affinity purification Dilution Range WB:1:100-1:500

IF/ICC:1:50-1:200

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.

Isotype IaG

Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 65267

Gene Symbol WNK3

Uniprot ID WNK3\_HUMAN


Immunogen

Immunogen 500-600


Region

Specificity Recombinant fusion protein containing a sequence corresponding to amino acids 500-600 of human WNK3 (NP\_065973.2). Immunogen AGCLEERRDSQCKSMGNVFP QPQNTTLPLAPAQQTGAECE ETEVDQHVRQQLLQRKPQQH CSSVTGDNLSEAGAASVIHS


Sequence DTSSQPSVAYSSNQTMGSQM V




Immunofluorescence analysis of U2OS cells using WNK3 Rabbit polyclonal antibody (STJ117702) at dilution of 1:200 (40x lens). Blue: DAPI for nuclear extensions



Immunofluorescence analysis of PC-12 cells using WNK3 Rabbit polyclonal antibody (STJ117702) at dilution of 1:200 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of NIH/3T3 cells using WNK3 Rabbit polyclonal antibody (STJ117702) a dilution of 1:200 (40x lens). Blue: DAPI for nuclear staining.



ot analysis of HAP1, using WNK3 antibody b) at 1:500 dilution. Secondary antibody: Anti-Rabbit IgG (H+L) (STJS000856) at ution. I vsates/proteins: 25 Mu a per lane.