

Anti-TRIM27 antibody (1-200) (STJ118505)

STJ118505

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	
Applications	IHC-P/ELISA
Host/Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES


Clonality	Polyclonal
Clone ID	
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution	IHC-P:1:50-1:200
Range	ELISA:Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.01% Thimerosal, 50% Glycerol, pH 7.3.
Isotype	IgG
Storage	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.
Instruction	

TARGET INFORMATION


Gene ID	5987
Gene Symbol	TRIM27
Uniprot ID	TRIM27_HUMAN
Immunogen	
Immunogen Region	1-200
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human TRIM27 (NP_006501.1).
Immunogen Sequence	MASGSVAECLQQETTQPVCL QYFAEPMMLDCGHNCCACL ARCWGTAEITNVSCPOCRETF PQRHMRPNRHILANVTQLVKQ LRTERPSPGGEMGVCEKHR EPLKLYCEEDQMPICVCDR SREHRGHSVLPLEEAVEGFK EQIQNQLDHLKRVKDLKKRR RAQGEQARAELSLTQMER KIWFEFEQLYHSLKEHEYRL



Immunohistochemistry analysis of TRIM27 in paraffin-embedded mouse kidney using TRIM27 Rabbit polyclonal antibody (STJ118505) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with immunohistochemistry staining protocol.



Immunohistochemistry analysis of TRIM27 in paraffin-embedded human liver using TRIM27 Rabbit polyclonal antibody (STJ118505) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with immunohistochemistry staining protocol.



Immunohistochemistry analysis of TRIM27 in paraffin-embedded rat ovary using TRIM27 Rabbit polyclonal antibody (STJ118505) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with immunohistochemistry staining protocol.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081