

## Anti-GST antibody (STJ140117)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Goat polyclonal antibody anti-Gluthatione-S-Transferase is suitable for use in Western Blot research applications.

Description Applications WB Host/Source Goat

Reactivity Transformed cells

## **PRODUCT PROPERTIES**

Clonality Polyclonal Clone ID Concentration 3 mg/mL Conjugation Unconjugated

Purification This antibody is epitope-affinity purified from goat antiserum.

Dilution Range WB 1:500-1:2000

Seixas C Choi SY Polgar N et al. Mol Biol Cell 2015 Nov 18. PMID: 26582389 Catarino S Ribeiro-Rodrigues TM Sa Ferreira R et al. Cells 2020 Apr. PMID: 32272685

Formulation PBS only Isotype IgG

Storage For continuous use, store at 2-8 C for one-two days. For extended storage, store in-20 C freezer. Working dilution samples should

**Instruction** be discarded if not used within 12 hours.

## **TARGET INFORMATION**


Gene ID Gene Symbol Uniprot ID

Immunogen Purified recombinant protein produced in E. coli.

Immunogen Region

**Specificity** In lysates of E. coli cells transformed with pGEX plasmid detects a band of 26 kDa by Western blot.

Immunogen Sequence



Anti-GST antibody at 1:1000 dilution; 50 ng of protein per lane; rabbit polyclonal to goat IgG (HRP) at 1:10000 dilution

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081