

**Anti-GFP antibody {DyLight®488} (STJ140275)**

STJ140275

**GENERAL INFORMATION**

<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Goat polyclonal antibody anti-GFP is suitable for use in Western Blot, Immunohistochemistry and Immunofluorescence research applications.
<b>Applications</b>	WB/IHC-F/IF
<b>Host/Source</b>	Goat
<b>Reactivity</b>	GFP

**PRODUCT PROPERTIES**

<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	2 mg/mL
<b>Conjugation</b>	DyLight®488
<b>Purification</b>	Epitope affinity purified
<b>Dilution Range</b>	WB 1:500-1:5000 IHC-F 1:50-1:1000 IF 1:50-1:1000
<b>Formulation</b>	PBS, 20% Glycerol, 0.05% ProClin® and 0.05% Sodium Azide.
<b>Isotype</b>	IgG
<b>Storage</b>	For continuous use, store at 2-8 C for one-two days. For extended storage, store in -20 C freezer. Working dilution samples should be discarded if not used within 12 hours.
<b>Instruction</b>	

**TARGET INFORMATION**

<b>Gene ID</b>	
<b>Gene Symbol</b>	
<b>Uniprot ID</b>	
<b>Immunogen</b>	Purified recombinant peptide produced in E. coli.
<b>Immunogen Region</b>	
<b>Specificity</b>	In 293HEK cells transfected with cds plasmid detects a band of 27 kDa by Western blot. This antibody does not recognize mCherry fluorescent protein.
<b>Immunogen Sequence</b>	