

## Anti-P63 antibody [ZM70] (STJ180314)

STJ180314

### GENERAL INFORMATION


|                          |   |
|--------------------------|---|
| <b>Product Type</b>      | Primary antibodies  |
| <b>Short Description</b> | Mouse monoclonal antibody anti-P63 is suitable for use in Immunohistochemistry research applications. |
| <b>Applications</b>      | IHC-P   |
| <b>Host/Source</b>       | Mouse   |
| <b>Reactivity</b>        | Human   |

### PRODUCT PROPERTIES

|                       |  |
|-----------------------|--|
| <b>Clonality</b>      | Monoclonal   |
| <b>Clone ID</b>       | ZM70   |
| <b>Concentration</b>  |  |
| <b>Conjugation</b>    | Unconjugated   |
| <b>Purification</b>   | Affinity purified  |
| <b>Dilution Range</b> | 1:100-200  |
| <b>Formulation</b>    | Tris-HCl buffer containing stabilizing protein (BSA) and <0.1% ProClin   |
| <b>Isotype</b>        | IgG2b/Kappa  |
| <b>Storage</b>        | Store at 2-8°C for up to 24 months. Predilute: Ready to use, no reconstitution necessary. Concentrate: Use dilution range and appropriate lab-standardized diluent. Stability after dilution: 7 days at 24°C, 3 months at 2-8°C, 6months at -20°C. |
| <b>Instruction</b>    |  |

### TARGET INFORMATION

|                           |   |
|---------------------------|---|
| <b>Gene ID</b>            | <a href="#">8626</a>                      |
| <b>Gene Symbol</b>        | <a href="#">TP63</a>                      |
| <b>Uniprot ID</b>         | <a href="#">P63_HUMAN</a>                 |
| <b>Immunogen</b>          | Recombinant full-length human p63 protein |
| <b>Immunogen Region</b>   |   |
| <b>Specificity</b>        | Positive control: Skin or prostate        |
| <b>Immunogen Sequence</b> |   |



Human skin stained with anti-p63 using peroxidase conjugate and DAB chromogen. Note nuclear staining of basal cells.