

Anti-TNFAIP3 antibody (600-738) (STJ25884)

STJ25884

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	
Applications	WB/IHC-P/ELISA
Host/Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES


Clonality	Polyclonal
Clone ID	
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution	WB:1:100-1:500
Range	IHC-P:1:50-1:200 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.05% Proclin300, 50% Glycerol, pH 7.3.
Isotype	IgG
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION


Gene ID	7128
Gene Symbol	TNFAIP3
Uniprot ID	TNAP3_HUMAN
Immunogen	
Immunogen Region	600-738
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 600-738 of human TNFAIP3 (NP_006281.1).
Immunogen Sequence	DRTGTGSKCRKAGCVYFGTPE NKGFTLCFIEYRENKHFAA ASGKVSPTASRFQNTIPCLG RECGTLGSTMFEGYCQKCFI EAGNQRFHEAKRTEELRSS QRRDVPRTTQTSRPKCARA SCKNILACRSEELCMECQH




Immunohistochemistry analysis of TNFAIP3 in paraffin-embedded rat spleen using TNFAIP3 Rabbit polyclonal antibody (STJ25884) at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with immunohistochemistry staining protocol.



Immunohistochemistry analysis of TNFAIP3 in paraffin-embedded rat lung using TNFAIP3 Rabbit polyclonal antibody (STJ25884) at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with immunohistochemistry staining protocol.



Immunohistochemistry analysis of TNFAIP3 in paraffin-embedded human lung cancer using TNFAIP3 Rabbit polyclonal antibody (STJ25884) at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with immunohistochemistry staining protocol.



Immunohistochemistry analysis of TNFAIP3 in paraffin-embedded human colon using TNFAIP3 Rabbit polyclonal antibody (STJ25884) at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with immunohistochemistry staining protocol.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081