

## Anti-UBASH3B antibody (1-300) (STJ29221)

ST.129221

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description

Applications WB/IHC-P/IF/ICC/ELISA

Host/Source Rabbit

Reactivity Human/Mouse/Rat

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration Lot specific
Conjugation Unconjugated
Purification Affinity purification
Dilution WB:1:500-1:2000
Range IHC-P:1:50-1:200

ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay

requirements.

Formulation PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.

Isotype IgG

Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 84959
Gene Symbol UBASH3B
Uniprot ID UBS3B\_HUMAN
Immunogen


Immunogen 1-300 Region

Specificity Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human UBASH3B (NP\_116262.2).


Immunogen MAQYGHPSPLGMAAREELYS KVTPRRNRQQRPGTIKHGSA LDVLLSMGFPRARAQKALAS TGGRSVQAACDWLFSHVGDP

Sequence FLDDPLPREYVLYLRPTGPL AQKLSDFWQQSKQICGKNKA HNIFPHITLCQFFMCEDSKV DALGEALQTTVSRWKCKFSA


PLPLELYTSSNFIGLFVKED SAEVLKKFAADFAAEAASKT EVHVEPHKKQLHVTLAYHFQ ASHLPTLEKLAQNIDVKLG



Western blot analysis of extracts of various cell line using UBASH3B antibody (STJ29221) at 1:100 dilution. Secondary antibody: HRP Goat Anti-rabbit [9] (H+L) (STJS000956) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blotking buffer: 35 non-fat dry milk in TBST. Detection: ECL Basic Ki



Immunohistochemistry analysis of paraffin-embedde human lung cancer using UBASHSB rabbit polycin antibody (\$T.129221) at dilution of 1:200 (40x len Perform high pressure antiger retrieval with 10 micritrate buffer pH 6. 0 before commencing will immunohistochemistry stations oversore.



Immunohistochemistry analysis of paraffin-embedden mouse kidney using UBASH3B rabbit polycion antibody (STJ29221) at dilution of 1:200 (40x lens Perform high pressure antigen retrieval with 10 ml citrate buffer pH 6. 0 before commencing with immunohistochemistry stations protect.



Immunohistochemistry analysis of paraffin-embeddeer at lung using UBASH3B rabbit polyclonal antibody (STJ2921) at dilution of 1:200 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer ph. 0. before commencing with immunohistochemistry