

Anti-CSK antibody (C-Term) (STJ70044)

STJ70044

GENERAL INFORMATION

Product Type Primary antibodies

Short Goat polyclonal antibody anti-CSK (C-Term) is suitable for use in ELISA and Western Blot research applications.

Description

Applications Pep-ELISA/WB

Host/Source Goat

Reactivity Human/Mouse/Rat/Dog/Cow

PRODUCT PROPERTIES

Clonality Polyclonal Clone ID

Concentration 0.5 mg/mL Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing

peptide

Dilution Peptide ELISA: antibody detection limit dilution 1:32000.

Range WB: Approx 48kDa band observed in Iysates of Jurkat, K562 and MOLT4 (calculated MW of 50.7kDa according to NP_004374.1).

Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 h

Formulation 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA

Isotype IgG

Storage Store at-20°C on receipt and minimise freeze-thaw cycles.

Instruction

TARGET INFORMATION

Gene ID 1445 Gene Symbol CSK

Uniprot ID CSK_HUMAN

Immunogen Immunogen


Immunogen C-Term

Regi


Specificity Reported variants represent identical protein: NP_004374.1; NP_001120662.1.

Immunogen EQLEHIKTHELHL

Sequence



STJ70044 (0. 1µg/ml) staining of Jurkat lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.



STJ70044 (4ŵg/ml) staining of paraffin embedde Human Colon. Steamed antigen retrieval with citrat ouffer pH 6, HRP-staining. This data is from a previounatch, not on sale.