

Anti-DOCK1 antibody (C-Term) (STJ70065)

STJ70065

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	Goat polyclonal antibody anti-DOCK1 (C-Term) is suitable for use in Western Blot research applications.
Applications	WB
Host/Source	Goat
Reactivity	Human/Mouse/Rat/Dog/Pig/Cow

PRODUCT PROPERTIES

Clonality	Polyclonal
Clone ID	
Concentration	0.5 mg/mL
Conjugation	Unconjugated
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Dilution Range	WB: Approx 150-200kDa band seen in A431 cell lysate. Recommended for use at 3-4µg/ml.
Formulation	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA
Isotype	IgG
Storage Instruction	Store at -20°C on receipt and minimise freeze-thaw cycles.

TARGET INFORMATION

Gene ID	1793
Gene Symbol	DOCK1
Uniprot ID	DOCK1_HUMAN
Immunogen	
Immunogen Region	C-Term
Specificity	
Immunogen Sequence	TTRKQTSVDSGIVQ



STJ70065 staining (4Åug/ml) of A431 lysate (RIPA buffer, 35Åug total protein per lane). Primary incubated for 12 hour. Detected by western blot using chemiluminescence.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081