

Anti-USP20/VDU2 antibody (C-Term) (STJ70380) STJ70380

GENERAL INFORMATION

Product Type Primary antibodies Short Description Goat polyclonal antibody anti-USP20/VDU2 (C-Term) is suitable for use in ELISA, Western Blot and Immunohistochemistry research applications. Applications Pep-ELISA/WB/IHC Host/Source Goat Reactivity Human/Mouse/Rat/Dog/Pig/Cow

PRODUCT PROPERTIES

Clonality Clone ID	Polyclonal
Concentration	0.5 mg/mL
Conjugation	Unconjugated
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing
	peptide.
Dilution Range	Peptide ELISA: antibody detection limit dilution 1:4000.
	WB: Approx 100kDa band observed in Human Tonsil lysates (calculated MW of 102kDa according to NP_006667.3).
	Recommended concentration: 1-3µg/ml.
	IHC: In paraffin embedded Human Lymph No
Formulation	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA
Isotype	IgG
Storage	Store at-20°C on receipt and minimise freeze-thaw cycles.
Instruction	

TARGET INFORMATION

Immunogen Immunogen Region	
	Reported variants represent identical protein (NP_006667.3; NP_001103773.2; NP_001008563.2). HGEQKIEAETRAV
250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 37kDa 25kDa 25kDa 20kDa 15kDa 51J70380 (14ug/m) staining of Human To (35Aug protein in PIPA buffer), Primary incut	rall lysate stor was FJJ70380 (3Agg/m] staining of paraffin embedded Human Lymph Node, Microwaved antigen retrieval with TraffCPTA buffer 1949, HIP-staining.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081