

## Anti-GIPC3 antibody (N-Term) (STJ70474)

ST.170474

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Goat polyclonal antibody anti-GIPC3 (N-Term) is suitable for use in ELISA and Western Blot research applications.

Applications Pep-ELISA/WB Host/Source Goat Reactivity Human

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

**Concentration** 0.5 mg/mL **Conjugation** Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing

peptide.

**Dilution Range** Peptide ELISA: antibody detection limit dilution 1:32000.

WB: Approx 40kDa band observed in human lymph node lysates (predicted MW of 36kDa according to NP\_573568).

Recommended for use at 0.2-1.5µg/ml.

 $\textbf{Formulation} \quad 0.5 \text{ mg/ml in Tris saline, } 0.02\% \text{ sodium azide, pH7.3 with } 0.5\% \text{ bovine serum albumin. NA}$ 

Isotype IgG

Storage Store at-20°C on receipt and minimise freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 126326 Gene Symbol GIPC3

Uniprot ID GIPC3\_HUMAN

Immunogen

Immunogen N-Term Region

Specificity

Immunogen EGAAAREARGTET

Sequence

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

S1J/04/4 staining (0. 5Ajug/ml) of human lymph node lysate (RIPA buffer, 30Ajug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.