

## Anti-ECSM2 antibody (C-Term) (STJ70551)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Goat polyclonal antibody anti-ECSM2 (C-Term) is suitable for use in ELISA, Western Blot, Immunohistochemistry and

**Description** Immunofluorescence research applications.

Applications Pep-ELISA/WB/IHC/IF

Host/Source Goat Reactivity Human

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID Concentration 0.5 mg/mL Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing

**Dilution** Peptide ELISA: antibody detection limit dilution 1:128000.

Range WB: Approx 50kDa band observed in Human Lung and Human Umbilical Cord lysates (calculated MW of 21.3kDa according to

NP\_001071161.1). The observed molecular weight corresponds to earlier

 $\textbf{Formulation} \quad 0.5 \text{ mg/ml in Tris saline, } 0.02\% \text{ sodium azide, pH7.3 with } 0.5\% \text{ bovine serum albumin. NA}$ 

**Isotype** IgG

Storage Store at-20°C on receipt and minimise freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID Gene Symbol Uniprot ID

Immunogen


Immunogen C-Term

Region

Specificity

Immunogen NNGKQSLSAEKVL

Sequence



STJ70551 (1µg/ml) staining of Human lung (A) and Human Umbilical Cord (B) lysates (35µg protein in RIPA buffer). Primary incubation was 1 hour.