

Anti-CDKN2A/p16INK4a-Isoform 1 antibody (C-Term) (STJ70855) STJ70855

GENERAL INFORMATION

Host/Source Goat

Product Type Primary antibodies Short Goat polyclonal antibody anti-CDKN2A/p16INK4a-Isoform 1 (C-Term) is suitable for use in ELISA, Western Blot and Description Immunohistochemistry research applications. Applications Pep-ELISA/WB/IHC Reactivity Human

PRODUCT PROPERTIES

Clonality Clone ID	Polyclonal
Concentration	0.5 mg/mL
Conjugation	Unconjugated
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing
	peptide.
Dilution Range	Peptide ELISA: antibody detection limit dilution 1:32000.
	WB: Approx. 16-18kDa band observed in lysates of the cell lines A431 and HeLa (calculated MW of 16.5kDa according to
	NP_000068.1). Recommended concentration: 0.1-1µg/ml.
	IHC: Paraffin
Formulation	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA
Isotype	IgG
Storage	Store at-20°C on receipt and minimise freeze-thaw cycles.
Instruction	

TARGET INFORMATION

Gene	ID 1029		
Gene Syml	1029 OL CDKN2A		
dene bym	CDKN2A		
Uniprot			
	ARF_HUMAN		
Immunog			
	en C-Term		
Regi			
	ity This antibody is expected to recognise isoform p16INK4a (NP_000068.1) and isoform p16gamma (NP_001182061.1).		
Immunog Sequen			
ocquei			
250kDa			
150kDa 100kDa			
75kDa			
50kDa			
37kDa			
25kDa			
20kDa			
15kDa			
10kDa STJ70855 (1µg/ml) staining of I	eLa Lysate (35ŵg		
protein in RIPA buffer). Primary inc Detected by chemiluminescence.	STJ70855 (1ŵg/m) staining of HeLa Lysate (35ŵg protein in RIPA buffer), Primary incubation was 1 hour. Detected by chemiliuminescence.		

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081