

## Anti-FABP2 antibody (C-Term) (STJ71154) STJ71154

## **GENERAL INFORMATION**

 Product Type
 Primary antibodies

 Short
 Goat polyclonal antibody anti-FAB

 Description
 research applications.

 Applications
 Pep-ELISA/WB/IHC/FC

 Host/Source
 Goat

 Reactivity
 Human/Mouse/Rat/Dog/Pig/Cow

Short Goat polyclonal antibody anti-FABP2 (C-Term) is suitable for use in ELISA, Western Blot, Immunohistochemistry and Flow Cytometry research applications. Pep-ELISA/WB/IHC/FC

PRODUCT PROPERTIES		
Clonality	Polyclonal	
Clone ID		
Concentration	0.5 mg/mL	
Conjugation	Unconjugated	
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing	
	peptide.	
Dilution	Peptide ELISA: antibody detection limit dilution 1:64000.	
Range	WB: Approx 15-16kDa band observed in Human lleum and Duodenum lysates (calculated MW of 15.2kDa according to NP_000125.1).	
	Recommended concentration: 0.001-0.003ug/ml. Primary incubation 1	
Formulation	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA	
Isotype	IgG	
Storage	Store at-20°C on receipt and minimise freeze-thaw cycles.	
Instruction		

## **TARGET INFORMATION**

Immunogen Immunogen Region Specificity	FABP2 FABPI_HUMAN
250kDa 150kDa 100kDa 75kDa 60kDa 37kDa 25kDa 20kDa 15kDa 10kDa 5TJ71154 (0.001Aug/m) staining of H	188 — 98 — 62 — 49 — 38 — 28 — 17 — 14 — § = 14 — § = FABP2 (BC210206) and
lysate (35ŵg protein in RIPA buffe chemiluminescence.	

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081