

## Anti-AADAT antibody (Internal) (STJ71418)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Goat polyclonal antibody anti-AADAT (Internal) is suitable for use in ELISA and Western Blot research applications.

Applications Pep-ELISA/WB Host/Source Goat Reactivity Human

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration 0.5 mg/mL

Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing

peptide.

**Dilution Range** Peptide ELISA: antibody detection limit dilution 1:32000.

WB: Approx 45kDa band observed in Human Liver lysates (calculated MW of 47.4kDa according to NP\_057312.1).

Recommended concentration: 1-3µg/ml.

 $\textbf{Formulation} \quad 0.5 \text{ mg/ml in Tris saline, } 0.02\% \text{ sodium azide, pH7.3 with } 0.5\% \text{ bovine serum albumin. NA}$ 

Isotype IgG

Storage Store at-20°C on receipt and minimise freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 51166

Gene Symbol AADAT

Uniprot ID AADAT\_HUMAN

Immunogen

Immunogen Internal Region

Specificity Both reported variants represent identical protein (NP\_057312.1and NP\_872603.1).

Immunogen KPEDAKNPQKNTPK

Sequence

250kDa 150kDa 100kDa

75kDa 50kDa

37kDa

25kDa 20kDa

15kDa STJ71418 (1µg/ml) staining of Human Liver lysate (35µg protein in RIPA buffer). Primary incubation was 1 bour Detected by chemiluminescence