

Anti-Hornerin antibody (Internal) (STJ71423) STJ71423

GENERAL INFORMATION


Product Type Primary antibodies Short Description Goat polyclonal antibody anti-Hornerin (Internal) is suitable for use in ELISA, Immunofluorescence and Flow Cytometry research applications. Applications Pep-ELISA/IF/FC Host/Source Goat Reactivity Human

PRODUCT PROPERTIES


Clonality Clone ID	Polyclonal
Concentration	0.5 mg/ml
Conjugation	
	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Dilution Range	Peptide ELISA: antibody detection limit dilution 1:32000.
	IF: Strong expression of the protein seen in the cytoplasm and plasma membrane of U251 cells. Recommended concentration: 10µa/ml.
	FC:Flow cytometric analysis of A549 cells. Recommended c
Formulation	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA
Isotype	IgG
Storage Instruction	Store at-20°C on receipt and minimise freeze-thaw cycles.

TARGET INFORMATION

Gene ID 388697 Gene Symbol HRNR Uniprot ID HORN_HUMAN Immunogen Immunogen Region Internal Specificity Immunogen QYATQHGEYDTLNK Sequence



nofluorescence analysis red U251 cells, permeabilized imary incubation 1hr (10u Fluor 488 secondary ant ytoplasmic and plasma memi ar stain is DAPI (blue). Neg d goat IgG (10ug/ml) followe ndary antibody (2ug/ml). ilized with (10ug/ml) antibody wing cytoplasm nuclear stain



Flow cytome lehyde fixed A549 ed with 0. 5% Triton. followed by Alexa STJ71423 cytometric d A549 cells analys (blue paraf perm (10ug antib Prima Fluor

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081