

Anti-Frizzled 4 antibody (Internal) (STJ71477)

STJ71477

GENERAL INFORMATION


| | |
|--------------------------|--|
| Product Type | Primary antibodies |
| Short Description | Goat polyclonal antibody anti-Frizzled 4 (Internal) is suitable for use in ELISA and Western Blot research applications. |
| Applications | Pep-ELISA/WB |
| Host/Source | Goat |
| Reactivity | Human/Rat |

PRODUCT PROPERTIES

| | |
|----------------------------|---|
| Clonality | Polyclonal |
| Clone ID | |
| Concentration | 0.5 mg/mL |
| Conjugation | Unconjugated |
| Purification | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Dilution Range | Peptide ELISA: antibody detection limit dilution 1:16000. WB: Approx 60kDa band observed in Human Colon and Small Intestine (Ileum) lysates (calculated MW of 59.9kDa according to NP_036325.2). Recommended concentration: 0.3–1 µg/mL. |
| Formulation | 0.5 mg/mL in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA |
| Isotype | IgG |
| Storage Instruction | Store at -20°C on receipt and minimise freeze-thaw cycles. |

TARGET INFORMATION

| | |
|---------------------------|---------------|
| Gene ID | 8322 |
| Gene Symbol | FZD4 |
| Uniprot ID | FZD4_HUMAN |
| Immunogen | |
| Immunogen Region | Internal |
| Specificity | |
| Immunogen Sequence | DEEERRCDPIRIS |



STJ71477 (1 µg/mL) staining of Small Intestine (Ileum) cell lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081