

Anti-HMGI-C/HMGA2 antibody (Internal) (STJ72021)

GENERAL INFORMATION

Product Type Primary antibodies

Short Goat polyclonal antibody anti-HMGI-C/HMGA2 (Internal) is suitable for use in ELISA and Western Blot research applications.

Description

Applications Pep-ELISA/WB Host/Source Goat Reactivity Human/Dog

PRODUCT PROPERTIES

Clonality Polyclonal Clone ID Concentration 0.5 mg/mL Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing

Dilution Peptide ELISA: antibody detection limit dilution 1:8000.

Range WB: Approx 18kDa band observed in Human Heart lysates (calculated MW of 11.8kDa according to NP_003474.1 and 11.5kDa

according to NP_003475.1). The observed molecular weight corresponds to

Formulation 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA

Isotype IgG

Storage Store at-20°C on receipt and minimise freeze-thaw cycles.

Instruction

TARGET INFORMATION

Gene ID 8091

Gene Symbol HMGA2

Uniprot ID HMGA2_HUMAN Immunogen

Immunogen Internal

Specificity This antibody is expected to recognize both reported isoforms (NP_003474.1; NP_003475.1) and is not expected to cross-react with

HMGA1.

Immunogen KAAQKKAEATGEK

Sequence

250kDa 150kDa 100kDa

50kDa 37kDa

25kDa

20kDa

15kDa

STJ72021 (1ŵg/ml) staining of Human Heart lysate (35ŵg protein in RIPA buffer). Primary incubation was 1 hour, Detected by chamilionis.