

Anti-REL antibody (Internal) (STJ72172)

GENERAL INFORMATION

Product Type Primary antibodies

Short Goat polyclonal antibody anti-REL (Internal) is suitable for use in ELISA, Western Blot and Immunohistochemistry research

Description applications Applications Pep-ELISA/WB/IHC

Host/Source Goat Reactivity Human

PRODUCT PROPERTIES

Clonality Polyclonal

Clone ID Concentration 0.5 mg/mL Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing

Dilution Peptide ELISA: antibody detection limit dilution 1:16000.

Range WB: Approx 70kDa band observed in Human Spleen and Human Peripheral Blood Mononucleocytes lysates (calculated MW of

68.5kDa according to NP_002899.1). Recommended concentration: 0.5-2μg/ml

 $\textbf{Formulation} \quad 0.5 \text{ mg/ml in Tris saline, } 0.02\% \text{ sodium azide, pH7.3 with } 0.5\% \text{ bovine serum albumin. NA}$

Isotype IgG

Storage Store at-20°C on receipt and minimise freeze-thaw cycles.

Instruction

TARGET INFORMATION

Gene ID 5966 Gene Symbol REL

Uniprot ID REL_HUMAN

Immunogen

Immunogen Internal

Region

Specificity

Immunogen NDLNASNACIYN

Sequence

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa STJ72172 (0. 5ŵg/ml) staining of Human Spleen lysate (35ŵg protein in RIPA buffer). Detected by chemiluminescence.