

Anti-TXNDC5 antibody (269-282) (STJ72557) STJ72557

GENERAL INFORMATION

Product Type	Primary antibodies
	Goat polyclonal antik
Description	applications.
Applications	Pep-ELISA/WB/IHC
Host/Source	Goat
Reactivity	Human/Mouse/Cow

Primary antibodies Goat polyclonal antibody anti-TXNDC5 (269-282) is suitable for use in ELISA, Western Blot and Immunohistochemistry research applications. Pep-ELISA/WB/IHC Goat

PRODUCT PROPERTIES

Clonality Clone ID	Polyclonal
Concentration	0.5 mg/mL
Conjugation	Unconjugated
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing
	peptide.
Dilution	Peptide ELISA: antibody detection limit dilution 1:64000.
Range	WB: Approx 50+38kDa bands observed in Human Lymph Nodes lysates (calculated MW of 47.6kDa according to NP_110437.2 and of
	36.2kDa according to NP_001139021.1). A 48kDa band was observed in
Formulation	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA
Isotype	IgG
Storage Instruction	Store at-20°C on receipt and minimise freeze-thaw cycles.

TARGET INFORMATION

Immunogen Immunogen Region Specificity	TXNDC5 TXND5_HUMAN
250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa	A B C 250kDa 150kDa 75kDa 37kDa 250Da
20kDa 15kDa	25KDa 20kDa 15kDa

STJ72557 (0. 05,4µg/m) staining of Human Lymph Nodes lysate (35Åyg protein in RIPA buffer). Detected by chemiluminescence. State (35Åyg protein in RIPA buffer). Detected by chemiluminescence.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081