

Anti-Cytokeratin 20 antibody (Internal) (STJ72885)

GENERAL INFORMATION

Product Type Primary antibodies

Short Goat polyclonal antibody anti-Cytokeratin 20 (Internal) is suitable for use in ELISA, Western Blot and Immunohistochemistry research

Description applications Applications Pep-ELISA/WB/IHC

Host/Source Goat Reactivity Human

PRODUCT PROPERTIES

Clonality Polyclonal

Clone ID Concentration 0.5 mg/mL Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing

Dilution Peptide ELISA: antibody detection limit dilution 1:128000.

Range WB: Approx 49kDa band observed in Human Colon and Ileum lysates (calculated MW of 48.5kDa according to NP_061883.1).

Recommended concentration: 0.01-0.03µg/ml. Primary incubation was 1 ho

 $\textbf{Formulation} \quad 0.5 \text{ mg/ml in Tris saline, } 0.02\% \text{ sodium azide, pH7.3 with } 0.5\% \text{ bovine serum albumin. NA}$

Isotype IgG

Storage Store at-20°C on receipt and minimise freeze-thaw cycles.

Instruction

TARGET INFORMATION

Gene ID 54474 Gene Symbol KRT20

Uniprot ID K1C20_HUMAN

Immunogen

Region

Immunogen Internal

Specificity

Immunogen ETNAPRAGRDYS

Sequence

250kDa 150kDa

100kDa

75kDa

50kDa

25kDa

20kDa STJ72885 (0. 03ŵg/ml) staining of Human Colon lysate (35ŵg protein in RIPA buffer). Detected by chemiluminescence.