

## Anti-Pycard antibody (Internal) (STJ72990)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Goat polyclonal antibody anti-Pycard (Internal) is suitable for use in ELISA and Immunofluorescence research applications.

Applications Pep-ELISA/IF Host/Source Goat

Reactivity Human/Mouse/Rat/Dog/Pig/Cow

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration 0.5 mg/mL Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the

immunizing peptide.

**Dilution Range** Peptide ELISA: antibody detection limit dilution 1:32000.

IF: Strong expression of the protein seen in the cytoplasm of NIH3T3, KNRK and HeLa cells. Recommended concentration: 10µg/ml.

 $\textbf{Formulation} \quad 0.5 \text{ mg/ml in Tris saline, } 0.02\% \text{ sodium azide, pH7.3 with } 0.5\% \text{ bovine serum albumin. NA}$ 

Isotype IgG

Storage Instruction Store at-20°C on receipt and minimise freeze-thaw cycles.

## **TARGET INFORMATION**


Gene ID 29108 Gene Symbol PYCARD

Uniprot ID ASC\_HUMAN . Immunogen


Immunogen Region Internal Specificity

Immunogen DLTDKLVSYYLES

Sequence



unofluorescence analysis of fixed NIH3T3 cells, permeabilized Primary incubation 1hr (10ug/ml) Fluor 488 secondary antibody cytoplasmic staining. The nuclear a). NA NA Na Negative control: IgG (10ug/ml) followed by Alexa antibody (2ug/m/ml)



ved by Alexa Fluor 488 second by Alexa Fluor 488 second is DAPI (blue). NA NA NA Ne resided goat IgG (10ug/ml) follocation (2ug/ml).

