

## Anti-fibrinogen gamma chain antibody (166-178) (STJ73137)

STJ73137

### GENERAL INFORMATION

<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Goat polyclonal antibody anti-fibrinogen gamma chain (166-178) is suitable for use in ELISA and Western Blot research applications.
<b>Applications</b>	Pep-ELISA/WB
<b>Host/Source</b>	Goat
<b>Reactivity</b>	Human

### PRODUCT PROPERTIES

<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	0.5 mg/mL
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Dilution Range</b>	Peptide ELISA: antibody detection limit dilution 1:128000. WB: Approx 50kDa band observed in Human Plasma and Human Platelets lysates (calculated MW of 49.5kDa according to NP_000500.2). Recommended concentration: 0.01-0.03µg/ml.
<b>Formulation</b>	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA
<b>Isotype</b>	IgG
<b>Storage Instruction</b>	Store at -20°C on receipt and minimise freeze-thaw cycles.

### TARGET INFORMATION

<b>Gene ID</b>	2266
<b>Gene Symbol</b>	FGG
<b>Uniprot ID</b>	FIBG_HUMAN
<b>Immunogen</b>	
<b>Immunogen Region</b>	166-178
<b>Specificity</b>	This antibody is expected to recognize both reported isoforms (NP_000500.2; NP_068656.2).
<b>Immunogen Sequence</b>	KDTVQIHDITGKD



STJ73137 (0.01 µg/ml) staining of Human Platelets lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.  
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081