

## Anti-Acetyl-H2BC12L-K12 antibody (10-59 aa) (STJ90119)

STJ90119

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Rabbit polyclonal antibody anti-Acetyl-Histone H2B type F-S-K12 (10-59 aa) is suitable for use in Western Blot,

Description Immunohistochemistry, Immunofluorescence and ELISA research applications.

Applications WB/IHC/IF/ELISA

Host/Source Rabbit

Reactivity Human/Mouse/Monkey

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration 1 mg/mL

Conjugation Unconjugated

Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Dilution Range WB 1:500-1:2000

IHC 1:100-1:300 IF 1:200-1:1000 ELISA 1:10000

Formulation Liquid in PBS containing 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

Isotype IgG

Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 102724334
Gene Symbol H2BC12L
Uniprot ID H2BFS\_HUMAN

Immunogen The antiserum was produced against synthesized peptide derived from the human Histone H2B around the acetylated site of Lys12 at


the amino acid range 10-59

Immunogen 1


Region

Specificity Immunogen Sequence


Acetyl-Histone H2B (K12) Polyclonal Antibody detects endogenous levels of Histone H2B protein only when acetylated at K12.



Immunohistochemistry analysis of paraffin-embedder human lung carcinoma tissue, using Histone H2E (Acetyl-Lys12) Antibody. The picture on the right is blocked with the synthesized peotide.



related with TSA 400nM 24h, using Histone HZE
Acetyl-Lys12) Antibody. The lane on the right is
allocked with the synthesized peptide.



Immunofluorescence analysis of HeLa cells, using Histone H2B (Acetyl-Lys12) Antibody. The picture on the right is blocked with the synthesized pentide.