

## Anti-MAP2K4 antibody [5H4] (STJ98239)

STJ98239

### GENERAL INFORMATION



<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Mouse monoclonal antibody anti-Dual specificity mitogen-activated protein kinase kinase 4 is suitable for use in Western Blot, Immunohistochemistry, Immunofluorescence, Flow Cytometry and ELISA research applications.
<b>Applications</b>	WB/IHC/IF/FC/ELISA
<b>Host/Source</b>	Mouse
<b>Reactivity</b>	Human

### PRODUCT PROPERTIES


<b>Clonality</b>	Monoclonal
<b>Clone ID</b>	5H4
<b>Concentration</b>	
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	Affinity purification
<b>Dilution Range</b>	WB 1:500-1:2000 IHC 1:200-1:1000 FC 1:200-1:400 ELISA 1:10000 IF 1:50-200
<b>Formulation</b>	Liquid in PBS containing 0.03% Sodium Azide, 0.5% BSA, 50% Glycerol.
<b>Isotype</b>	IgG1
<b>Storage</b>	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.
<b>Instruction</b>	

### TARGET INFORMATION


<b>Gene ID</b>	6416
<b>Gene Symbol</b>	MAP2K4
<b>Uniprot ID</b>	MP2K4_HUMAN
<b>Immunogen</b>	Purified recombinant fragment of human MEK-4 expressed in E. Coli.
<b>Immunogen Region</b>	
<b>Specificity</b>	MEK-4 Monoclonal Antibody detects endogenous levels of MEK-4 protein.
<b>Immunogen Sequence</b>	



Immunohistochemistry analysis of paraffin-embedded muscle tissues with DAB staining using MEK-4 monoclonal antibody.



Flow cytometric analysis of K562 cells using MEK-4 monoclonal antibody (green) and negative control (purple).



Western blot analysis using MEK-4 monoclonal antibody against HepG2 (1), K562 (2), and HEK293 (3) cell lysate.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.  
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081