

Goat Anti-Rabbit IgG H+L antibody {ABflo® 594} (STJS001186)

STJS001186

GENERAL INFORMATION


Product Type	Secondary antibodies
Short Description	
Applications	IF/ICC/FC
Host/Source	Goat
Reactivity	Rabbit

PRODUCT PROPERTIES


Clonality	Polyclonal
Clone ID	
Concentration	Lot specific
Conjugation	ABflo® 594
Purification	Affinity purification
Dilution Range	IF/ICC:1:50-1:200 FC:1:100-1:1000
Formulation	PBS with 0.02% Sodium Azide, 1% BSA, 50% Glycerol, pH 7.3.
Isotype	IgG
Storage Instruction	

TARGET INFORMATION

Gene ID	
Gene Symbol	
Uniprot ID	
Immunogen	
Immunogen Region	
Specificity	Rabbit IgG
Immunogen Sequence	



Confocal imaging of HeLa cells using [KD Validated] TIMM10 Rabbit mAb (STJ248506, dilution 1:200) followed by a further incubation with ABflo® 594-conjugated Goat Anti-Rabbit IgG (H+L) (STJS001186, dilution 1:400). DAPI was used for nuclear staining (Blue). Objective: 100x.



Flow cytometry: 1X10⁶ K-562 cells (negative control, left) and A-431 cells (right) were surface-stained with Purified Rabbit anti-Human E-Cadherin mAb (5 Mu l/Test, orange line) or secondary antibody only (blue line). Non-fluorescently stained K-562 and A-431 cells were used as blank control (red line). ABflo® 594-conjugated Goat Anti-Rabbit IgG (H+L) (STJS001186, 1:1000) was used as a secondary antibody.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081