

## Anti-PIWIL1 antibody [ARC0786] (STJ11101883)

STJ11101883

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Rabbit monoclonal antibody anti-PIWIL1 is suitable for use in Western Blot, Immunohistochemistry and

Immunofluorescence.

Applications WB, IHC, IF Host/Source Rabbit Mouse, Rat

## **PRODUCT PROPERTIES**

Clonality Monoclonal Clone ID ARC0786

Concentration

Conjugation Unconjugated Purification Affinity purification
Dilution Range WB 1:500-1:2000

IHC 1:50-1:200 IF 1:50-1:200

Formulation PBS containing 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH7.3.

**Isotype** IgG

**Storage Instruction** Store in a freezer at-20°C and avoid freeze-thaw cycles.


## **TARGET INFORMATION**

Gene ID 9271
Gene Symbol PIWIL1
Uniprot ID PIWL1\_HUMAN


Immunogen A synth

Immunogen A synthesized peptide derived from human PIWIL1






Western blot analysis of extracts of various cell lines using PIWIL1 rabbit monoclonal antibod (STJ11101883) at 1:1000 dilution. Secondary antibod (HRP Goat Anti-rabbit IgG (H+L) at 1:10000 dilution Lysates/proteins: 25up per lane. Blocking buffer: 39 nonfat dry milk in TBST. Detection: ECL Basic Kif Fronsure time: 1s



Immunohistochemistry of paraffin-embedded mous kidney using PIWIL1 rabbit monoclonal antibody (STJ11101883) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pr. 2. before commencing with immunohistochemistry staining norticoal.



Immunofluorescence analysis of mouse testis using PIWIL1 rabbit monoclonal antibody (STJ11101883) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.