

## Anti-UBD antibody [ARC1379] (STJ11102407)

ST.I11102407

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Rabbit monoclonal antibody anti-Ubiquitin D is suitable for use in Western Blot and Immunofluorescence.

Applications WB, IF Host/Source Rabbit

Reactivity Human, Mouse, Rat

## **PRODUCT PROPERTIES**

Clonality Monoclonal Clone ID ARC1379

Concentration

Conjugation Unconjugated
Purification Affinity purification
Dilution Range WB 1:500-1:2000

IF 1:50-1:200

Formulation PBS containing 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH7.3.

Isotype IgG


Storage Instruction Store in a freezer at-20°C and avoid freeze-thaw cycles.

## **TARGET INFORMATION**


Gene ID 10537 Gene Symbol UBD Uniprot ID UBD\_HUMAN

Immunogen Region Specificity Immunogen Sequence


Immunogen A synthesized peptide derived from human FAT10/UBD




Western blot analysis of extracts of various cell lines using FAT10/UBD rabbit monoclonal antibody (STJ11102407) at 1:1000 dilution. Secondary antibody HRP Goat Anti-rabbit IgG (H+L) at 1:10000 dilution Lysates/proteins: 25ug per lane. Blocking buffer: 3% norlat dry milk in TBST. Detection: ECL Basic Kt.



Immunofluorescence analysis of C6 cells usin FAT10/UBD rabbit monoclonal antibody (STJ11102407 at dilution of 1:100 (40x lens). Blue: DAPI for nuclear transfer in the control of the cont



Immunofluorescence analysis of NIH-3T3 cells usin FAT10/UBD rabbit monoclonal antibody (STJ11102407 at dilution of 1:100 (40x lens). Blue: DAPI for nuclea



Immunofluorescence analysis of U-2 OS cells using FAT10/UBD rabbit monoclonal antibody (STJ11102407 at dilution of 1:100 (40x lens). Blue: DAPI for nuclea