

## Anti-IL10 antibody (STJ11102745)

ST.J11102745

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Rabbit monoclonal antibody anti-IL10 is suitable for use in Western Blot and Immunofluorescence.

Applications WB, IF Host/Source Rabbit

Reactivity Human, Mouse, Rat

## **PRODUCT PROPERTIES**

Clonality Monoclonal

Clone ID Concentration

Conjugation
Purification Unconjugated
Affinity purification
Dilution Range WB 1:500-1:2000

IF 1:50-1:200

Formulation PBS containing 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH7.3.

Isotype IgG

Storage Instruction Store in a freezer at-20°C and avoid freeze-thaw cycles.


## **TARGET INFORMATION**

Gene ID 3586 Gene Symbol IL10 Uniprot ID IL10


Uniprot ID IL10\_HUMAN

Immunogen A synthesized peptide derived from human IL10


Immunogen Region Specificity Immunogen Sequence




Western blot analysis of extracts of various cell lines using IL10 antibody (ST11102745) at 1:1000 dilution THP-1 cells were treated by LPS and Brefeldin A for different times of stimulation. Secondary antibody: HRIItation Goat Anti-rabbit IgG (H+L) at 1:10000 dilution (Lysatelyproteins: 25ug per Iane. Blocking buffer: 39 nonfat dry milk in TBST. Detection: ECL Basic Kit Exposure time: 90s. NA NA NA



Western blot analysis of extracts of Rat thymus, usin, IL10 antibody (ST111102745) at 1:1000 dilutior Secondary antibody: HRP Goat Anti-rabbit IgG (IH-L) 1:10000 dilution. Lysates/proteins: 25ug per lane IS000 Blots (IR) and IR) second in the IR) of the ISOU Basic Kit. Exposure time: 180s. NA NA NA



Immunofluorescence analysis of Jurkat cells using IL1 rabbit monoclonal antibody (STJ11102745) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of rat thymus using IL10 rabbit monoclonal antibody (STJ11102745) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.