

Anti-PTK2 antibody (STJ112977)

STJ112977

GENERAL INFORMATION

Product Type Primary antibodies

Short Description Rabbit monoclonal antibody anti-FAK is suitable for use in Western Blot and Immunofluorescence.

Applications WB, IF Host/Source Rabbit

Reactivity Human, Mouse, Rat

PRODUCT PROPERTIES

Clonality Monoclonal

Clone ID

Concentration Conjugation Unconjugated Purification Affinity purification Dilution Range WB 1:500-1:2000

IF 1:50-1:200

Formulation PBS containing 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH7.3.

Isotype IgG

Storage Instruction Store in a freezer at-20°C and avoid freeze-thaw cycles.


TARGET INFORMATION

Gene ID 5747 Gene Symbol PTK2


Uniprot ID FAK1_HUMAN

Immunogen Region Specificity Immunogen Sequence


Immunogen Recombinant protein of human FAK




Western blot analysis of extracts of various cell lines using FAK polyclonal antibody (STJ112977) at 1:100 dilution. Secondary antibody: HRP Goat Anti-rabbit lgf (H+L) at 1:10000 dilution. Lysates/proteins: 25ug palene. Blocking buffer: 3% nonfat dry milk in TBS1



Western blot analysis of extracts of MCF7 cells, usin FAK polyclonal antibody (STJ11297) at 1:1000 dilutio Secondary antibody; HRP Goat Anti-rabbit IgG (H+L) 1:10000 dilution. Lysates/proteins: 25ug per lan Blocking buffer: 39% nonfat dry milk in TBST. Detectior ECL Basic Kit. Exposure time: 60s.



Immunofluorescence analysis of NIH-3T3 cells using FAK antibody (STJ112977). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of U-2 OS cells using FAK antibody (STJ112977). Blue: DAPI for nuclear staining.