

## Anti-HMGCR antibody (629-888) (STJ115278)

ST.1115278

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Rabbit polyclonal antibody anti-HMGCR (629-888) is suitable for use in Western Blot and Immunofluorescence.

Applications WB, IF Host/Source Rabbit

Reactivity Human, Mouse, Rat

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID Concentration

Conjugation
Purification
Dilution Range
Unconjugated
Affinity purification
WB 1:500-1:2000

IF 1:50-1:200

Formulation PBS containing 0.02% Sodium Azide, 50% Glycerol, pH7.3.

Isotype IgG

Storage Instruction Store in a freezer at-20°C and avoid freeze-thaw cycles.


## **TARGET INFORMATION**

Gene ID 3156
Gene Symbol HMGCR
Uniprot ID HMDH\_HUMAN


Immunogen Recombinant fusion protein containing a sequence corresponding to amino acids 629-888 of human HMGCR

(NP\_000850.1).


Immunogen Region 629-888
Specificity
Immunogen
Sequence




Western blot analysis of extracts of various cell lines using HMGCR artibody (STJ115278) at 1:1000 dilution Secondary antibody: HRP Goat Anti-rabbit IgG (H+L) a 1:10000 dilution. Lysates/proteins: 25ug per lane Blocking buffer: 3% nonfat dry milk in TBST. Detection ECL Basic Kif. Exprosure time: 10s.



Immunofluorescence analysis of A-549 cells using HMGCR rabbit polyclonal antibody (STJ115278) at dilution of 1:200 (40x lens). Blue: DAPI for nuclear



Immunofluorescence analysis of HeLa cells using HMGCR rabbit polyclonal antibody (STJ115278) at dilution of 1:200 (40x lens). Blue: DAPI for nuclear staining



Immunofluorescence analysis of NIH/3T3 cells using HMGCR rabbit polyclonal antibody (STJ115278) at dilution of 1:200 (40x lens). Blue: DAPI for nuclear stainino.