

Anti-ITCH antibody (50-150) (STJ118061)

ST.1118061

GENERAL INFORMATION

Product Type Primary antibodies

Short Description Rabbit polyclonal antibody anti-ITCH (50-150) is suitable for use in Western Blot and Immunohistochemistry.

Applications WB, IHC Host/Source Rabbit

Reactivity Human, Mouse, Rat

PRODUCT PROPERTIES

Clonality Polyclonal

Clone ID Concentration

Conjugation Unconjugated Purification Affinity purification Dilution Range WB 1:500-1:2000

IHC 1:50-1:200

Formulation PBS containing 0.02% Sodium Azide, 50% Glycerol, pH7.3.

Isotype IgG

Storage Instruction Store in a freezer at-20°C and avoid freeze-thaw cycles.

TARGET INFORMATION


Gene ID 83737 Gene Symbol ITCH

Uniprot ID ITCH_HUMAN


Immunogen A synthetic peptide corresponding to a sequence within amino acids 50-150 of human ITCH (NP_001244066.1).

Immunogen Region 50-150


Specificity Immunogen Sequence




Western blot analysis of extracts of various cell line using ITCH antibody (STJ118601) at 1-1000 dilution Secondary antibody: HRP Goat Anti-rabbit IgG (H+L) 1:10000 dilution. Lysates/proteins: 25ug per lar Blocking buffer: 3% northat dry milk in TBST. Detectio



Western blot analysis of extracts from normal (control and ITCH knockout (K0, 293T cells, using ITCI antibody (STJ118061) at 1:1000 dilution. Secondar antibody: HRP Goat Anti-rabbit IgG (H+L) at 1:1000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECI Basic Kit. Exposure time: 180s.



Immunohistochemistry of paraffin-embedded rat brai using ITCH antibody (STJ118061) at dilution of 1:10



Immunohistochemistry of paraffin-embedded humar lung cancer using ITCH antibody (STJ118061) a dilution of 1:100 (40x lens).