

## Anti-NTRK1 antibody (C-Term) (STJ118066)

ST.1118066

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Rabbit polyclonal antibody anti-NTRK1 (C-Term) is suitable for use in Western Blot and Immunohistochemistry.

Applications WB, IHC Host/Source Rabbit

Reactivity Human, Mouse, Rat

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID Concentration

Conjugation
Purification Unconjugated
Affinity purification
Dilution Range WB 1:500-1:2000

IHC 1:50-1:200

Formulation PBS containing 0.02% Sodium Azide, 50% Glycerol, pH7.3.

Isotype IgG

Storage Instruction Store in a freezer at-20°C and avoid freeze-thaw cycles.


## **TARGET INFORMATION**

Gene ID 4914
Gene Symbol NTRK1


Uniprot ID NTRK1\_HUMAN

Immunogen A synthetic peptide corresponding to a sequence within amino acids 700 to the C-terminus of human TrkA (NP\_002520.2).


Immunogen Region C-Term Specificity Immunogen Sequence




Western blot analysis of extracts of various cell lines using TrkA antibody (STJ118066) at 1:500 dilusto Secondary antibody: HRP Goat Anti-rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lable Blocking buffer: 3% nonfat dry milk in TBS1. Detection FCL Basic Kit Evropsure time: 90s.



Immunohistochemistry of paraffin-embedded Rat live using TrkA antibody (STJ118066) at dilution of 1:10l (40x lens). Perform microwave antigen retrieval with 11 mM PBS buffer pH 7. 2 before commencing wit immunohistochemistry staining protocol



Immunohistochemistry of paraffin-embedded Hums stomach using TrkA antibody (STJ118066) at dilution 1:100 (40x lens). Perform microwave antigen retriev with 10 mM PBS buffer pH 7. 2 before commencir



Immunohistochemistry of paraffin-embedded mous brain using TrkA antibody (STJ118066) at dilution o 1:100 (40x lens). Perform microwave antigen retrieva with 10 mM PBS buffer pH 7: 2 before commencing