

Anti-IL2 antibody (STJ118747) STJ118747

GENERAL INFORMATION

 Product Type
 Primary antibodies

 Short Description
 Rabbit polyclonal antibody anti-IL2 is suitable for use in Western Blot and Immunohistochemistry.

 Applications
 WB, IHC

 Reactivity
 Human, Mouse, Rat

PRODUCT PROPERTIES

 Clonality
 Polyclonal

 Clone ID
 Verticities

 Concentration
 Verticities

 Conjugation
 Uconjugated

 Purification
 Affinity purification

 Dilution Range
 WB 1:500-1:2000

 IHC 1:50-1:200
 IHC 1:50-1:200


 Formulation
 PBS containing 0.02% Sodium Azide, 50% Glycerol, pH7.3.

 Isotype
 IgG


 Storage Instruction
 Store in a freezer at-20°C and avoid freeze-thaw cycles.

TARGET INFORMATION






IL2 Protein, using IL2 antibody (S11118/4/) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-rabibit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 1s.



were treated by TPA (40 nM), A23187 (2 Mu M) and Brefeldin A (300 ng/ ml) for 0-24hoursSecondary antibody: HRP Goat Anti-rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nontat dry milk in TBST. Detection: ECL Brein 2/8 constant dry milk in TBST. Detection: ECL



Immunohistochemistry of paraffin-embedded human tonsil using IL2 antibody (STJ118747) at dilution of 1:100 (40x lens). Immunohistochemistry of paraffin-embedded human lung using IL2 antibody (STJ118747) at dilution of 1:100 (40x lens).

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081